

#	English	Translation into Russian	Definition
1.	Respiratory	Дыхательный (В некоторых фразах – Респираторный)	Relating to, or affecting respiration (breathing) or the organs used in respiration.
2.	ENT doctor (Ear-Nose-Throat) <i>Syn.</i> Otorhinolaryngologist	ЛОП врач (муж.) <i>Син.</i> Отоларинголог, Оториноларинголог	A physician who specializes in the disorders of the ear, nose, throat.
3.	Nose	Нос (Муж.)	The part of the face that contains the organs of smell and is the usual passage for air in breathing.
4.	Nostril	Ноздря (жен.)	Either of the two openings in the nose.
5.	Throat	Горло (сред.)	The passage from the mouth to the stomach or the lungs.
6.	(paranasal) Sinuses (Pl.) (Sing.) Sinus	(Придаточные) Пазухи носа (мн.ч.) (Ед. ч.) Пазуха носа (жен.)	Air cavities in the cranial bones, especially those near the nose (above it and to the sides of it).
7.	(palatine) Tonsils (Pl.)	(Небные) Миндалины (мн.ч.) (Ед.ч.) Миндалина (жен.) <i>Син. (разг.)</i> Гланды (мн.ч.) (Ед.ч.) Гланда (жен.)	Areas of lymphoid tissue on either side of the throat that can be seen in the back of the throat; organs of the lymphatic system. The tonsils act as part of the immune system to help protect against infection.
8.	Tonsillectomy	Удаление миндалин (сред.) <i>Син. (разг.)</i> Удаление гланд	Surgical removal of one or both tonsils.
9.	Adenoids (Pl.)	Аденоиды (мн.ч.) (Ед.ч.) Аденоид (муж.) <i>Син.</i> Глоточная миндалина (жен.)	Mass of lymphatic tissue situated in the back of the nasal cavity, in the roof of the nasopharynx, where the nose blends into the throat. It often hinders speaking and breathing in young children.
10.	Larynx <i>Syn.</i> Voice box	Гортань (жен.)	The part of the respiratory tract between the pharynx and the trachea, having walls of cartilage and muscle and containing the vocal cords enveloped in folds of mucous membrane.
11.	Pharynx <i>Syn.</i> Throat	Глотка (жен.)	The throat; a cavity behind the nasal cavity, mouth and larynx.
12.	Epiglottis	Надгортанник (муж.)	The uppermost cartilage of the larynx; covers the entrance of the larynx while swallowing.

13.	Trachea <i>Syn. Windpipe</i>	Трахея (жен.) <i>Син. Дыхательное горло (сред.)</i>	The tube that carries inhaled air from the throat to the lungs.
14.	Bronchi (Pl.) <i>(Sing.) Bronchus</i>	Бронхи (мн.ч.) <i>(Ед.ч.) Бронх (муж.)</i>	The two main branches of the trachea that lead to the lungs, where they divide into smaller branches. They are part of the lower respiratory tract along with the lungs.
15.	Mucus (n.)	Слизь (жен.)	A thick, slippery discharge produced by the mucous membranes and glands. Functions to moisten and protect them.
16.	Phlegm	Флегма (<i>устар.</i>) (жен.) <i>Син. Мокрота (жен.)</i>	Thick, sticky, stringy mucus secreted by the mucous membrane of the respiratory tract, as during a cold or other respiratory infection.
17.	Sputum	Мокрота (жен.)	Matter coughed up and usually ejected from the mouth, including saliva, foreign material, and substances such as mucus or phlegm, from the respiratory tract.
18.	Runny nose	Насморк (муж.)	A condition of having excess amount of mucus in the nose; nasal drainage.
19.	Nasal discharge	Выделения из носа (мн.ч.) <i>Син. (разг.) Сопли (мн.ч.)</i>	Fluids that drain from the nose.
20.	Post-nasal drip	Слизистые выделения из носа, скапливающиеся в горле (мн.ч.)	Excess nasal mucus accumulating in the back of the nose and sliding down the throat.
21.	To be congested <i>Syn. To have a stuffy nose</i>	Быть заложенным	To have the blockage of the nasal passages usually due to membranes lining the nose becoming swollen from inflamed blood vessels.
22.	Watery eyes	Глаза слезятся.	Persistent or excessive tear draining from the eyes.
23.	Itchy eyes	Зуд в глазах (муж.) <i>Син. Глаза чешутся.</i>	An irritation that leads to a persistent urge to scratch the eyes.
24.	To sneeze	Чихать	To make a sudden involuntary expulsion of air from the nose and mouth due to irritation of one's nostrils.
25.	(facial) Tissue <i>Syn. Kleenex</i>	Бумажный носовой платок (муж.) <i>Син. Одноразовый носовой платок (муж.)</i>	A type of thin, soft, disposable paper used for nose-blowing.



26.	Allergy	Аллергия (жен.)	An immune system reaction to the presence of a substance that the body "mistakes" for being harmful (such substance is called <i>allergen</i>).
27.	Bacterial infection	Бактериальная инфекция (жен.)	Infection caused by bacteria, i.e. microscopic living organisms, usually one-celled, that can be found everywhere. The classic symptoms of a bacterial infection are localized redness, heat, swelling and pain. One of the hallmarks of a bacterial infection is local pain, pain that is in a specific part of the body.
28.	Viral infection	Вирусная инфекция (жен.)	Infection caused by a virus, i.e. a small infectious agent, smaller than a bacterium, that can replicate only inside the living cells of an organism. In general, viral infections are systemic. This means they involve many different parts of the body or more than one body system at the same time; i.e. a runny nose, sinus congestion, cough, body aches, etc.
29.	Contagious <i>Syn. Communicable</i>	Заразный	Capable of being transmitted from one individual to another.
30.	(Common) Cold	Простуда (жен.)	A common viral infection in which the mucous membrane of the nose and throat becomes inflamed, typically causing a runny nose, sneezing, sore throat, and other similar symptoms.
31.	Flu (Colloq.) <i>Syn. Influenza</i>	Грипп (муж.) <i>Син. Инфлюэнза (редк.)</i>	A highly contagious viral infection that attacks the respiratory system —nose, throat and lungs.
32.	Flu vaccine <i>Syn. Flu shot (Colloq.)</i>	Вакцина от гриппа (жен.) <i>Син. Прививка от гриппа (разг.) (жен.)</i>	A preparation containing inactivated or weakened flu virus administered to produce or artificially increase immunity to flu.
33.	Acute upper respiratory infection (URI)	Острая респираторная инфекция верхних дыхательных путей (жен.)	A contagious infection of the upper respiratory tract which includes the nose, throat, pharynx, larynx, and bronchi. Types of URIs include the common cold, sinusitis, pharyngitis, epiglottitis, and tracheobronchitis. Influenza is not an upper respiratory infection because it is a systemic illness.
34.	To cough	Кашлять	To expel air from the lungs suddenly and noisily, often to keep the respiratory passages free of irritating material.
35.	To cough up	Откашливать	To expel sputum by coughing.
36.	Wheezing	Хрип, хрипящий звук (сущ., муж.) Хрипящий (прил.)	A high-pitched whistling sound during breathing. It occurs when air flows through narrowed breathing tubes.
37.	Bronchitis	Бронхит (муж.)	An inflammation of the lining of the bronchial tubes, which carry air to and from the lungs. It typically causes bronchospasms and coughing.



38.	Sore throat (Colloq.)	Больное горло (сред.) <i>Син.</i> Горло болит.	A painful or sensitive condition of the throat aggravated by swallowing or talking, usually caused by inflammation due to viruses or bacteria.
39.	Strep throat (Colloq.)	Ангина (жен.)	A sore throat caused by streptococcal infection, usually with fever and sometimes with white spots on the tonsils.
40.	Nasal spray	Носовой аэрозоль (муж.) <i>Син.</i> Носовой спрей (муж.)	A method of dispensing medicated liquid in the form of a mist that is inhaled through the nose.
41.	Antibiotic	Антибиотик (муж.)	A medication (such as penicillin) that inhibits the growth of or destroys microorganisms, especially bacteria.
42.	Antihistamine	Антигистаминный препарат (муж.) <i>Син.</i> Антигистамин	A medication used to neutralize and inhibit the physiological effects of histamine (a compound released in allergic inflammatory reactions), used especially for treating allergies and colds.
43.	Decongestant	Противоконгестивное средство (сред.) <i>Син.</i> Антикongестант (муж.)	A medication used to relieve nasal congestion, usually by shrinking the swollen membranes in the nose, making it easier for a person to breathe.
44.	Cough syrup	Сироп от кашля (муж.)	A medication in a sugary liquid form used to alleviate coughing.
45.	Cough drop <i>Syn.</i> Throat lozenge	Леденец от кашля (муж.) <i>Син.</i> Сосательная таблетка от кашля (жен.)	A small, sometimes medicated candy or tablet intended to be dissolved slowly in the mouth to temporarily stop coughs and lubricate and soothe irritated tissues of the throat (usually due to a sore throat).
46.	Bronchoscopy	Бронхоскопия (жен.)	A procedure in which a hollow, flexible tube called a bronchoscope is inserted into the airways through the nose or mouth to provide a view of the tracheobronchial tree. It can also be used to collect bronchial and/or lung secretions and to perform tissue biopsies.
47.	Pulmonary	Лёгочный	Relating to, or affecting the lungs.
48.	Respiratory therapist	Специалист по респираторной терапии (муж.)	A clinician who provides care for patients who have trouble breathing, including establishing and maintaining the airways during management of trauma and intensive care, and may administer anesthesia for surgery or conscious sedation.
49.	Oxygen	Кислород (муж.)	A gas forming part of the air, required for breathing.
50.	To inhale	Вдыхать/ Вдохнуть	To breathe in.



51.	To exhale	Выдыхать/ Выдохнуть	To breathe out.
52.	Hold your breath.	Задержите дыхание.	To voluntarily stop breathing.
53.	Take a deep breath.	Сделайте глубокий вдох.	To breathe in deeply, filling the lungs with air as full as possible.
54.	Dyspnea (n.) <i>Syn. To be short of breath</i> (Colloq.)	Одышка (жен.) <i>Син.</i> Затрудненное дыхание (сред.), дышать с трудом	To have difficult or labored breathing that is out of proportion to the person's level of physical activity.
55.	Alveoli (Pl.) (Sing.) Alveolus <i>Syn. Air sacs</i>	Альвеолы (мн.ч.) (Ед.ч.) Альвеола (жен.) <i>Син.</i> Воздушные пузырьки (муж.)	Tiny air sacs in the lungs at the end of the bronchioles, through which oxygen is taken into the blood.
56.	Lung	Лёгкое (сущ., сред.) (Мн.ч.) лёгкие	Either one of two breathing organs, located in the chest, responsible for introducing oxygen to blood traveling from the heart, and releasing carbon dioxide from blood traveling to the heart.
57.	Lobe of the lung	Доля лёгких (жен.)	One of the five sections of the lungs.
58.	Pleural membrane <i>Syn. Pleura</i>	Плевра (жен.)	The thin transparent membrane enveloping the lungs and lining the walls of the chest cavity.
59.	Diaphragm	Диафрагма (жен.)	The large muscle that separates the chest cavity from the abdominal cavity and is the principal muscle of respiration. As the diaphragm contracts and moves downward, the lungs expand and air moves into them. As the diaphragm relaxes and moves upward, the lungs contract and air is forced out of them.
60.	Thorax (n.) <i>Syn. Chest</i> (Colloq.)	Грудная клетка (жен.) <i>Син.</i> Грудь (жен.)	The part of the body between the neck and diaphragm, encased by the ribs.
61.	Thoracic (adj.)	Грудной	Related to the chest area.
62.	Pertussis <i>Syn. Whooping cough</i> (Colloq.)	Коклюш (муж.)	A contagious disease characterized by spasms of deep, noisy coughing and a loud "whooping" sound upon inhalation.
63.	Pneumonia	Пневмония (жен.) <i>Син.</i> Воспаление лёгких (сред.) (разг.)	Lung inflammation caused by bacterial or viral infection, in which the air sacs fill with fluid or phlegm and may become solid, causing cough with phlegm, fever, chills and difficulty breathing. Inflammation may affect both lungs (double pneumonia), one lung (single pneumonia), or only certain lobes (lobar pneumonia).



64.	Emphysema	Эмфизема легких (жен.)	A lung condition featuring an abnormal accumulation of air due to enlargement and destruction of the lung's alveoli (air sacs) resulting in the formation of scar tissue and causing shortness of breath.
65.	Chronic Obstructive Pulmonary Disease (COPD)	Хроническая обструктивная болезнь легких (ХОБЛ) (жен.)	A collective name for two conditions causing shortness of breath. There are two main forms of COPD: <i>Chronic bronchitis</i> , which involves a long-term cough with mucus; <i>Emphysema</i> , which involves destruction of the lungs over time.
66.	Pulmonary edema	Отёк лёгких (муж.)	Fluid accumulation in the lungs, which collects in air sacs (alveoli), causing difficulty to breathe.
67.	Asthma	(бронхиальная) Астма (жен.)	A disorder that causes the airways of the lungs (bronchi) to swell and narrow and produce more mucus, leading to wheezing, shortness of breath, chest tightness, and coughing. It usually results from an allergic reaction or other forms of hypersensitivity.
68.	Asthma attack	Приступ астмы (муж.)	A sudden worsening of asthma symptoms caused by the tightening of muscles around the airways (bronchospasms). During an <i>asthma attack</i> , the lining of the airways also becomes swollen or inflamed and thicker mucus – more than normal – is produced.
69.	To trigger	Вызывать/ Вызвать	To cause something to happen.
70.	To alleviate	Облегчать/ Облегчить Син. Смягчать/ Смягчить	To relieve, lessen, make easier to endure.
71.	Tuberculosis (TB)	Туберкулез (муж.)	A contagious and often severe airborne disease caused by a bacterial infection (<i>Mycobacterium tuberculosis</i>). <i>TB</i> typically affects the lungs, but it also may affect any other organ of the body.
72.	Chest X-ray	Рентген грудной клетки (муж.)	A painless, noninvasive test that creates pictures of the structures inside your chest, such as your heart, lungs, and blood vessels, with the help of electromagnetic radiation.
73.	PPD test <i>Syn.</i> Tuberculin Skin Test (TST); Mantoux test; Pirquet test <i>Syn.</i> (Colloq.) TB skin test	Туберкулиновая проба Син. реакция Манту; проба Пирке Син.	The standard method of determining whether a person is infected with the tuberculosis bacterium, performed by injecting tuberculin purified protein derivative (PPD) into the inner surface of the forearm.
74.	Negative test result	Отрицательный результат анализа (муж.)	The result showing that there is NO infection of a specific kind in the body.
75.	Positive test result	Положительный результат анализа (муж.)	The result showing that there IS an infection of a specific kind in the body.



76.	Latent	Латентный <i>Син.</i> В скрытом состоянии (разг.)	Existing but dormant or hidden until circumstances are suitable for development or manifestation.
77.	To spit blood	Отхаркивать кровью	To forcibly eject saliva mixed with blood from the mouth.
78.	Cystic fibrosis	Муковисцидоз (муж.) <i>Син.</i> Кистозный фиброз (муж.)	A genetic condition causing poor clearance of mucus from the bronchi. The accumulated mucus results in repeated lung infections.
79.	Black lung disease (Colloq.)	"Черные легкие" (мн.ч.) (разг.) <i>Син.</i> Антракоз (муж.), Пневмокониоз (муж.)	A condition caused by inhaling coal dust; a form of Pneumoconiosis.
80.	Asbestosis	Асбестоз (муж.)	A condition caused by inhaling asbestos dust; a form of Pneumoconiosis.
81.	Pulmonary embolism (PE)	Тромбоэмболия лёгочной артерии (ТЭЛА) (жен.)	A sudden blockage in a lung artery, often causing shortness of breath and low blood oxygen levels. The blockage usually is caused by a blood clot that travels to the lung from a vein in the leg.
82.	Inhaler	Ингалятор (муж.)	A portable device for administering a drug that is to be breathed in, used for relieving asthma and other bronchial or nasal congestion.
83.	Lung capacity	Емкость лёгких (жен.)	The amount of air that can fill the lungs.
84.	Spirometer	Спирометр (муж.)	An instrument for measuring the amount of air taken into and exhaled from the lungs.
85.	Oxygen therapy	Кислородотерапия (жен.) Оксигенотерапия (жен.)	A treatment that provides a patient with extra oxygen.
86.	Oxygen face mask	Кислородная маска (жен.)	A device that is placed over the mouth and nose and through which oxygen is supplied from an attached storage tank.
87.	Nasal cannula (NC)	Носовая канюля (жен.)	A plastic tube worn over the ears and inserted into the nostrils to deliver oxygen.
88.	Pulse oximeter <i>Syn.</i> Finger clip	Пульсоксиметр (муж.)	A device that indirectly measures the oxygen saturation of blood and changes in blood volume in the skin. A sensor device is placed on a thin part of the patient's body, usually a fingertip or earlobe, or in the case of an infant, across a foot.



89.	Acute respiratory distress syndrome (ARDS)	Острый респираторный дистресс-синдром (ОРДС) (муж.)	A severe, sudden injury to the lungs caused by a serious illness. Life support with mechanical ventilation is usually needed to survive until the lungs recover.
90.	Respiratory failure	Дыхательная недостаточность (жен.)	A condition when not enough oxygen passes from the lungs into the blood. Respiratory failure also can happen if the lungs can't remove carbon dioxide (a waste gas) from the blood.
91.	Mechanical ventilation	Искусственная вентиляция легких (ИВЛ) (жен.) <i>Син.</i> Искусственное дыхание (сред.)	A method to mechanically assist or replace spontaneous breathing, usually involving a machine called a ventilator.
92.	Ventilator	Аппарат искусственной вентиляции легких (ИВЛ) (муж.)	A machine for artificial respiration.
93.	Intubated (adj.)	Интубационный (наркоз, трубка)/ Интубированный (пациент)	Most often means tracheal intubation; the placement of a flexible plastic tube into the trachea to protect a patient's airway and provide a means of mechanical ventilation.

